

**NORTH CAROLINA IMMUNIZATION PROGRAM (NCIP)
COVERAGE CRITERIA FOR ALL CHILDREN PRESENT IN NORTH CAROLINA**

Effective: August 5, 2015

The purpose of this document is to distinguish which cohorts of persons, present in North Carolina, are eligible for vaccine from the North Carolina Immunization Program (NCIP). North Carolina Immunization Program (NCIP) vaccine is generally available for children through the age of 18 in compliance with recommendations made by the Advisory Committee for Immunization Practices (ACIP) and the Vaccines for Children (VFC) program. Exceptions for adult vaccine usages are noted below. ACIP recommends certain vaccines for certain cohorts who are not covered by NCIP vaccine. Health care providers must use privately-purchased vaccine for those cohorts who wish to have vaccine and are not covered by this coverage criteria. For the current recommendations for each vaccine, please see the ACIP statements found at: <http://www.cdc.gov/vaccines/pubs/ACIP-list.htm>. Current Procedural Terminology ® (CPT) codes have been added for your reference.

VACCINE	AGES COVERED	Cohort	CPT Code	ELIGIBILITY CRITERIA FOR NCIP VACCINE USAGE
DT Pediatric	≥2 months through 6 years	UNIVERSAL	90702	Only administered when pertussis-containing vaccine is medically contraindicated.
DTaP	≥2 months through 6 years	VFC ONLY	90700	
DTaP, Hep B, and polio combination (Pediarix)	≥ 2 months through 6 years	VFC ONLY	90723	
DTaP, polio, and Hib combination (Pentacel)	≥ 2 months through 4 years	VFC ONLY	90698	
DTaP/IPV combination (Kinrix)	≥ 4 years through 6 years	VFC ONLY	90696	
EIPV (Polio)	≥2 months through 17 years	VFC ONLY	90713	
HepA/HepB Combination (Twinrix)	≥ 18 years	UNINSURED ADULT USE	90636	Any uninsured adult who meets one or more of the ACIP recommended coverage groups can receive a three dose series of the combination Hep A/Hep B vaccine at the local health department or at Federally Qualified Health Centers (FQHC) and Rural Health Centers (RHC). State-supplied Hep A/Hep B vaccine <u>cannot</u> be used for the accelerated schedule, four dose series or for persons with documented history of a completed hepatitis A or B series.
Hepatitis A Pediatric use	12 months through 18 years	VFC ONLY	90633	
Hepatitis B Pediatric use	Birth through 18 years	VFC ONLY	90744 (pediatric product)	1. The birth dose of Hepatitis B vaccine is available universally. 2. Other doses of hepatitis B vaccine may be given to children through 18 years of age who are VFC-eligible only. 3. Children through 18 years of age, regardless of insurance status who are household, sexual or needle sharing contacts of an acute or chronic Hepatitis B infected person may receive Hepatitis B vaccine <u>at the local health department</u> . All household, sexual, or needle sharing contacts of an acute or chronic Hepatitis B infected person must be referred to the local health department for testing and vaccination.

VACCINE	AGES COVERED	Cohort	CPT Code	ELIGIBILITY CRITERIA FOR NCIP VACCINE USAGE
Hepatitis B Pediatric use Engerix-B ® GSK Recombivax ® Merck	Certain adults 19 years of age	UNINSURED 19 YEARS OF AGE	90744 (pediatric product)	<ol style="list-style-type: none"> Any uninsured adult 19 years of age may receive state-supplied Hep B if the first dose of Hep B is before the 19th birthday. The series must be complete before the 20th birthday if using state-supplied vaccine. Uninsured immigrants with refugee status who are from endemic countries who are 19 years of age may receive Hepatitis B vaccine at the local health department. All immigrants with refugee status must be referred to the local health department for testing and vaccination. Adults 19 years of age, who are household, sexual or needle sharing contacts of an acute or chronic Hepatitis B infected person may receive Hepatitis B vaccine <u>at the local health department</u>. All household, sexual, or needle sharing contacts of an acute or chronic Hepatitis B infected person must be referred to the local health department for testing and vaccination.
Hepatitis B Adult use	Certain adults ≥ -20 years of age may receive state-supplied Hep B	ADULT USE	90746 (adult product)	<ol style="list-style-type: none"> Individuals who are ≥20 years of age, regardless of insurance status, who are household, sexual or needle sharing contacts of an acute or chronic Hepatitis B infected person may receive Hepatitis B vaccine at <u>the local health department</u>. All household, sexual, or needle sharing contacts of an acute or chronic Hepatitis B infected person must be referred to the local health department for testing and vaccination. Uninsured immigrants with refugee status who are from endemic countries who are ≥ 20 years of age may receive Hepatitis B vaccine <u>at the local health department</u>. All immigrants with refugee status must be referred to the local health department for testing and vaccination.
Hib	≥2 months through 4 years High-risk	VFC ONLY	90647--PRP-OMP, PedvaxHIB 90648— PRP-T, ActHIB	Certain high-risk children >59 months through 18 years of age, who are not appropriately vaccinated, may receive one dose.
4vHPV (Gardasil) 9vHPV (Gardasil 9)	Females and males 9 through 18 years of age	VFC ONLY	90649 (Gardasil) 90651 (Gardasil 9)	State-supplied Gardasil (quadrivalent) and Gardasil 9 (9-valent) vaccines for HPV are available for females and males 9 through 18 years of age. The series must be complete prior to the 19th birthday.
2vHPV (Cervarix)	Females 9 through 18 years of age	VFC ONLY	90650	State-supplied Cervarix vaccine for HPV is available for females only 9 through 18 years of age. The series must be complete prior to the 19th birthday.
Influenza Pediatric use	≥ 6 months through 18 years	VFC ONLY	90686 preservative-free 3 years & up 90685 preservative free 6-35 mos 90687 & 90688 Preservative containing 6 mos & up 90672	

VACCINE	AGES COVERED	Cohort	CPT Code	ELIGIBILITY CRITERIA FOR NCIP VACCINE USAGE
			Preservative-free Intranasal, live, 2 yrs & up	
Influenza Adult use IIV4 (Fluzone and Fluarix only)	Certain adults, (19 and older) without insurance	UNINSURED FEMALE ADULT USE	90686 Preservative-free, 3 yrs. & up 90688 Preservative-containing, 3 yrs. & up	State-supplied influenza vaccine is available to: <ul style="list-style-type: none"> Non-Medicaid, uninsured women who are pregnant during flu season, and receiving services at the Local Health Department (LHD), Federally Qualified Health Center, or Rural Health Center. Females enrolled in the Be Smart family planning program receiving services at LHDs, Federally Qualified Health Center, or Rural Health Center.
Meningococcal Conjugate (High-Risk)	6 weeks through 18 years of age	VFC ONLY	90734 (Menveo and Menactra) 90644 (MenHibrix)	Available only for high-risk children Menactra is licensed starting at 9 months of age Menveo starts at 2 months of age MenHibrix is licensed for 6 weeks through 23 months of age
Meningococcal Conjugate (routine) Menactra Menveo	11 through 18 years of age	VFC ONLY	90734 (Menveo and Menactra)	
Meningococcal Conjugate	Adults 19 years through 55 years	UNINSURED ADULT USE	90734	A single dose of meningococcal vaccine is available for uninsured unvaccinated first year college students <u>living in dormitories</u>
Meningococcal Serogroup B (High Risk) Bexsero Trumenba	10 through 18 years of age	VFC ONLY	90620 (Bexsero) 90621 (Trumenba)	Available for high-risk children ages 10-18. Children aged 16 through 18 years without high risk conditions may also be vaccinated based on the provider's clinical judgement for children who are at increased risk for disease.
MMR Pediatric use	≥ 12 months through 18 years	VFC ONLY	90707	
MMR Adult use	Certain adults (19 and older) without insurance	UNINSURED ADULT USE	90707	One dose of MMR vaccine is available for: <ol style="list-style-type: none"> Uninsured immigrants with refugee status of any age without documentation of a prior MMR may receive MMR at the <u>local health department</u>. All uninsured susceptible persons without documentation of a prior MMR may receive MMR at the local health department, Federally Qualified Health Center (FQHC), or Rural Health Center (RHC). Two doses of MMR vaccine are available for: <ol style="list-style-type: none"> Any uninsured person entering a four-year college or university in North

VACCINE	AGES COVERED	Cohort	CPT Code	ELIGIBILITY CRITERIA FOR NCIP VACCINE USAGE
				<p>Carolina for the first time, in addition to, any uninsured adults attending any other post-high school educational institutions (i.e. community colleges and technical schools because:</p> <p>2 doses of measles containing vaccine is required by law for</p> <ul style="list-style-type: none"> ➤ all persons born in 1957 or later entering a North Carolina college/university*** for the first time on or after July 1, 1994 and that <p>Two doses of mumps are also recommended and available for all uninsured adult students attending post-high school educational institutions (i.e. community colleges and technical schools).</p> <p>2. All uninsured women ages 19-44 years at <u>the local health department</u>.</p>
MMRV	≥ 12 months through 12 years	VFC ONLY	90710	
Pneumococcal Conjugate 13-valent (PCV13)	<p>All children ≥ 2 through 59 months</p> <p>High risk</p>	VFC ONLY	90670	Certain children ≥60 months through 18 years with high risk conditions
Pneumococcal Polysaccharide 23-valent (PPSV23)	≥ 2 years through 18 years	VFC ONLY	90732	Available only for high-risk children
Rotavirus	≥ 6 weeks through 7 months	VFC ONLY	<p>90680—3-dose (Rotateq)</p> <p>90681—2-dose (Rotarix)</p>	
Td Pediatric use	≥ 7 years through 18 years	VFC ONLY	90714	
Td Adult use	Certain adults (19 and older) without insurance	UNINSURED ADULT USE	90714	<p>1. Can be given to any uninsured person 19 years of age or older entering a North Carolina college/university*** (where Td is required by NC Immunization Law) for the first time who has not had a booster in 10 years, or has not completed the 3 dose primary series.</p> <p>2. Any uninsured person 19 years of age or older can receive Td at the local health department, FQHC, or RHC.</p> <p>3. Can be given to any uninsured person 19 years of age or older being seen in a hospital emergency department for wound management.</p>
Tdap Pediatric use	Children 7 through 18 years	VFC ONLY	90715	

VACCINE	AGES COVERED	Cohort	CPT Code	ELIGIBILITY CRITERIA FOR NCIP VACCINE USAGE
Tdap Adult use	≥ 19 years	UNINSURED ADULTS	90715	<p>1. One dose of state-supplied vaccine may be administered to any uninsured adult for whom Tdap is indicated.</p> <p>2. Local health departments (LHDs) may administer state-supplied Tdap vaccine to uninsured pregnant women 19 years and older (at any time during pregnancy regardless of prior vaccine history of Tdap, but preferably between 27-36 weeks gestation). In addition, uninsured postpartum women 19 years and older may receive one dose of state supplied Tdap if there is no documentation of a previous Tdap vaccination. Both pregnant and postpartum women must be being served by the LHD in any capacity.</p>
Varicella (Chickenpox)	> 12 months through 18 years	VFC ONLY	90716	
Varicella (Chickenpox)	Certain adults, (19 and older) without insurance	UNINSURED FEMALE ADULT USE	90716	<p>One dose of varicella vaccine is available for:</p> <p>1. Uninsured women ages 19-44 years at <u>the local health department</u>.</p>

VFC- Vaccines for Children: Children through 18 years of age that meet at least one of the following criteria are eligible for VFC vaccine: Medicaid eligible, Uninsured, American Indian or Alaskan Native, Underinsured or Unaccompanied minors without proof of insurance presenting to local health department Title X clinics.

Underinsured children are children who have commercial (private) health insurance but the coverage does not include vaccines; children whose insurance covers only selected vaccines (VFC-eligible for non-covered vaccines only), or children whose insurance caps vaccine coverage at a certain amount - once that coverage amount is reached, these children are categorized as underinsured. Note: Children whose health insurance covers vaccinations are not eligible for VFC vaccines, even when a claim for the cost of the vaccine and its administration would be denied for payment by the insurance carrier because the plan's deductible had not been met or because the insurance did not cover the total cost of the vaccine. Children who are covered by North Carolina Health Choice (NCHC) are considered insured, with one exception: NCHC children who are American Indian or Alaskan Native are eligible for VFC vaccines.

VFC vaccine cannot be used for allergy skin testing prior to vaccination.

**** ACIP Recommendation Highlights** - Information in this section is abbreviated and **NOT** inclusive of all recommendations, precautions, or contraindications. Review the full ACIP Recommendations for each vaccine on the CDC website at <http://www.cdc.gov/vaccines/pubs/ACIP-list.htm>. Full and final recommendations are published as MMWR Recommendations and Reports. Updates are often sent out as Provisional Recommendations with the most pertinent information included before the final recommendations are released. There is also separate documentation for **Contraindication/Precautions** for all vaccines on the CDC web site at: <http://www.cdc.gov/vaccines/recs/vac-admin/contraindications-vacc.htm>.

*****Students attending colleges within the North Carolina Community College System are exempt from North Carolina Immunization Law for college/university entry. However, some programs at community colleges, such as medical programs, may have requirements specific to their program, but this does not allow them to receive state supplied vaccine unless it is specifically stated in the coverage criteria.**

****** Persons covered by the Be Smart Family Planning Program are considered uninsured and may receive certain state-supplied vaccines as noted in this coverage criteria for uninsured adults if receiving services at a Local Health Department, Federally Qualified Health Center or Rural Health Clinic.**

Local health department (LHD) providers may administer NCIP vaccine offsite, without requesting permission from the Branch, as long as certain conditions are met. Refer to the memo dated May 6, 2011 for complete details.

Unless specifically stated above, no NCIP vaccine may be administered to an insured individual unless the patient is an underinsured child at an FQHC, RHC, Local Health Department or deputized provider.